




Stainless Steel Screen



Supplier: MES Company
Mobile: +93-777289983 - +93-700289983 - +93-202203199
www.mesengineering.com
info@mesengineering.com



公司简介

安平县恒源五金网业制品有限公司位于著名的"丝网之乡"河北省安平县,公司设备先进,技术力量雄厚,是具有高新技术的丝网生产及深加工的专业公司。多年来,我们坚持信誉至上,质量第一的经营原则,让客户满意是我们最高的标准。本公司生产经营 V型丝不锈钢滤水管、低碳钢绕丝滤水管、约翰逊筛管,各种矿筛网:筛篮、筛板、弧型筛、筛片,不锈钢网、护栏网、电焊网、钢板网、轧花网、菱形网、六角网、带式自动滤网等丝网产品及深加工制品,产品广泛用于打井、污水处理、石油、化工、建筑、交通等行业和领域。产品畅销全国各地,并远销非洲、中东及东南亚地区。

[Brief introduction]

Anping county Hengyuan hardware netting industry product CO.,LTD. is located in Anping county reputation of "Chinese hometown of wire mesh ". The company is equipped with advanced equipment and tremendous technical capability. It's a company which owns advanced technology and produces wire mesh and further processed products. For years, we have been sticking to the business principle of prestige the highest quality—the first it's our highest standard to make the customers satisfied. Our company produce and sell as following : "V" shaped wire welded stainless steel screens, low carbon steel screens, Johnson Specialty screens, various kinds of orescreen meshes , stainless steel network, chain link fence , welded wire mesh, expanded plate mesh series, bringing type automatic filter screen, crimped wire mesh, hexagonal wire mesh, etc. The products are used in the trades, such as ore choosing, petroleum , chemical industry , electron , transportation , plastics , food , architecture , traffic, etc. Our products can be seen everywhere in China, as well as African countries, Middle East and the regions of Southeast Asia.



Supplier: MES Company

Mobile: +93-777289983 - +93-700289983 - +93-202203199

www.mesengineering.com

info@mesengineering.com



Anping county Hengyuan hardware netting industry product CO.,LTD.

公司产品 Company products

过滤管 Strainers Pipe/ Water Well Screen

材料: 302、304、304L、316、316L等不锈钢丝。

特点: 不锈钢熔接式过滤管是由支撑条和筛条两部分构成。支撑条可以是圆丝也可以是三角形丝或梯形丝,筛条是三角形丝(v型丝),缝隙尺寸精确,过滤精度高;具有结构坚固,耐高温,耐腐蚀,机械性能好,使用寿命长,安全可靠等特点,可用于多种介质的过滤。

用途: 滤水管是一种有孔眼的滤水器材。可与深井泵、潜水泵配套使用、也可以用于水处理设备,环境保护、海水转化为工业用水及生活用水的淡化处理、自来水的处理、水软化处理、石油化工业:石油产品的终端过滤及化工酸、碱液体的过滤、酒精等有机溶液的回收过滤。

Materials: 304 302 304L 316 316L stainless steel wire

characteristics: The welded stainless steel water well screen is made up of rods and warp. The rod can be round wire, triangular wire or trapezoid wire. The warp is triangular wire(V-shaped wire). Water well screens have a structure and high open area, as well as accurate slot dimension. In the same time, water well screen have heat-resisting, anti-corrosive, good machine capability, long life span, safety and reliability and so on characteristics. It can be used in many kinds of medium filtering.

Uses: The strainer is a kind of filtered water tubing with the perforation, it can use with the deep well pump, dive the water pump, also may use in the water-treating equipment, the environmental protection, the sea water transforms into the industrial water and life use water desalination treatment, running water treatment, water softening treatment, the petroleum industry: The petroleum product terminal filters and the chemical acid, the alkali liquid filters, the ethyl alcohol and so on the organic solution recycling filters.




Supplier: MES Company

Mobile: +93-777289983 - +93-700289983 - +93-202203199

www.mesengineering.com

info@mesengineering.com



安平县恒源五金网业制品有限公司

V型丝不锈钢滤水管 "V" shaped wire welded stainless steel screens 产品性能

我们公司生产的V型丝全焊式梯形绕丝滤水管，是用V型绕丝和V型筋条（或圆型筋条）在每个交叉点处焊接而成。

"V" shaped ladder-like stainless/carbon steel screen is a perfect combination of V-shaped wire and V-shaped rod or round rod. The wire is welded onto the rod at each intersection point.

- 1、连续的缝隙大大增加了过水面积，因此与含水层接触更好。
- 2、V型剖面结构避免堵塞，确保流通顺畅。
- 3、连续的孔隙能长期有效使用。
- 4、梯形滤水管结构坚固，孔隙率高，缝隙尺寸精确。
- 5、梯形丝滤水管容易反冲洗，使用寿命长，安全可靠，综合成本低。

Features of products

1. A continuous slot opening which significantly increases the available open area, thus providing greater access to the water bearing zone.
2. A "V" shaped profile wire which avoids clogging and ensures an uninterrupted flow.
3. A uniform and efficient well development due to the continuous slot opening.
4. Ladder-like wire welded screens have a strong structure and high open area, as well as accurate slot dimension.
5. Ladder-like wire welded screens have the features of easy backwashing, long life span, safety and reliability as well as low comprehensive cost.



产品特点

- 1、孔隙率较高的滤水管更适用于建造高效率的水、油、气井。
- 2、运行成本低 孔隙率高的滤水管更有利于地下水的渗入，充沛的水量使得水位的降深减小，从而减少能量消耗。
- 3、减小泵的磨损 在同等条件下，较高的孔隙率使得地下水在渗入滤水管时的速度较渗入其它过滤装置时的速度要慢的多，这样就避免沙子在较大的水压下进入滤水管，减小水泵磨损。
- 4、延长水井的寿命 相对而言，地下水渗入孔隙滤高的滤水管更容易一些，水流速度低，延长水井的使用寿命。

Features of products

1. Screens with high open area are more suitable for the construction of high-quality water wells, oil wells and gas wells.
2. Low cost operation. Screens with high open area shall favor groundwater infiltration. Abundant water shall reduce the water level's down, thus to save energy consumption.
3. Reduce the abrasion of the pump. Under the same condition, high open area can make the speed of groundwater's entering into the screen much more slower than any other filtration apparatus, which will avoid sand's entering into screen because of high pressure, thus reduce the abrasion of the pump.
4. Extend the life span of wells. Comparatively, groundwater's entering into screen with higher open area is much easier than the entering into lower open area screen. The slow water flow shall extend the life span of wells.

Supplier: MES Company

Mobile: +93-777289983 - +93-700289983 - +93-202203199

www.mesengineering.com

info@mesengineering.com

Stainless Steel Screen



Anping county Hengyuan hardware netting industry product CO.,LTD.

基本规格 Basic specification for ladder-like screen

材质 Material	型号 SIZE INCH	外径 O.D (MM)	缝隙 SLOT INCH	长度 LENGH (M)	可承受外力 COLLAPSE STRENGTH (PSI)	拉申力 TENSIE WEIGT (TON)	筛丝规格 宽*高 WRAP (MM)	托条 RODS (MM)	端头连接 End Connection
304 304L 316 316L	4	117	0.040	3-6	395	6	2.2*3.0	3.8MM/22	丝扣管头或 直接管头 by welding or by threaded male/female couplin.
	4	114.3	0.040	3-6	395	6	2.3*3.0	3.8MM/22	
	6	168.3	0.040	3-6	252	8	2.3*3.5	3.8MM/32	
	8	219.1	0.010	3-6	399	10.5	3.0*5.0	3.8MM/48	
	8	219.1	0.020	3-6	370	10.5	3.0*5.0	3.8MM/48	
	8	219.1	0.040	3-6	323	10.5	3.0*5.0	3.8MM/48	
	10	273.1	0.010	3-6	206	11	3.0*5.0	3.8MM/50	
	10	273.1	0.020	3-6	191	11	3.0*5.0	3.8MM/50	
	10	273.1	0.040	3-6	167	11	3.0*5.0	3.8MM/50	

备注：数据仅供参考，我们能根据客户的需求生产。直径：80mm—900mm。缝隙：0.1mm—10mm
The data only for reference, we can design it as the client's request Diameter: 80mm—900mm.
Shot: 0.1mm—10mm

★连接方式：焊接和螺纹连接。

★标准长度：50mm—5850mm

★Styles of connection: by welding or by threaded male/female couplin.

★Standard length: 50mm—5850mm

轧花网 Crimped Mesh

材料：302、304、304L、316、316L等不锈钢丝，也可以根据客户的要求订做。



编织及特点：平织、斜织、竹花编织、密纹编织而成，具有耐酸、耐碱、耐温、耐磨等性能。

用途：用于矿业、石油、化工、食品、医药、机械制造等行业。

Materials: 304 302 304L 316 316L stainless steel wire, can be made according to the customers' requirement.

Weaving and characteristics: plain weave, twilled weave, dutch weave, stainless steel wire mesh is heat-resisting, acid-resisting, wear-resisting, corrosion-resisting.

Usage: used in petroleum, chemical industry, mine, environment protection, food industry, medicine, machine making, etc.



护栏网 Chain link fence

用途：用于公路、铁路、飞机场、住宅小区、港口码头、花园、饲养、畜牧等的护栏防护

产品特点：防腐、防老化、抗晒、耐候等特点。防腐形式有电镀、热镀、喷塑、浸塑。

General Use: Chain link fence mainly serves in protection of road, railway, airport, residence, port, garden and farms.

Product characteristic: The anticorrosion, anti-exposure to the sun, Anti-aging characteristic and so on. The anticorrosion form has the galvanization, the heat degree, sprouts models, soaks models.





Supplier: MES Company

Mobile: +93-777289983 - +93-700289983 - +93-202203199

www.mesengineering.com

info@mesengineering.com

Stainless Steel Screen



地址：河北省衡水市安平丝网产业基地
Add: Industry Zone, Anping, Hebei Province, China
电话 (Tel) : 0086-0318-7565918
手机 (Mobile): 陆中强 13663281858
刘彦明 13663281808
传真 (Fax) : 0086-0318-7565919
邮政编码 PC: 053600
E-mail: liu@aphywire.com
Website: <http://www.aphywire.com>

Supplier: MES Company

Mobile: +93-777289983 - +93-700289983 - +93-202203199

www.mesengineering.com

info@mesengineering.com